



ສໍານັກງານໃຫຍ່

ເລກທີ: 082 /ທຄຕລ 2021

ນະຄອນຫຼວງວຽງຈັນ, ວັນທີ: 21 SEP 2021

ໜັງສືແຈ້ງເຊີນ

ເຖິງ : ບັນດາບໍລິສັດ ຫ້າງຮ້ານຕົວແທນຈໍາໜ່າຍຕັ້ງຖອນເງິນ ATM ໃນນະຄອນຫຼວງວຽງຈັນ.

ເລື່ອງ: ແຈ້ງເຊີນເຂົ້າຮ່ວມຍືນຊອງປະມຸນລາຄາຕັ້ງຖອນເງິນ ATM ຈໍານວນ 10 ໜ່ວຍ.

ທະນາຄານການຄ້າຕ່າງປະເທດລາວ ມະຫາຊົນ ຂໍແຈ້ງມາຍັງທ່ານຊາບບັນດາບໍລິສັດ ແລະ ຫ້າງຮ້ານຕົວແທນຈໍາໜ່າຍຕັ້ງຖອນເງິນ ATM ເພື່ອມານໍາໃຊ້ເຂົ້າໃນວຽກງານວິຊາສະເພາະຂອງ ທະນາຄານ ຈຶ່ງໄດ້ແຈ້ງເຊີນມາຍັງທ່ານເພື່ອຍືນຊອງເຂົ້າຮ່ວມປະມຸນເຄື່ອງ ດັ່ງມີລາຍລະອຽດຂ້າງລຸ່ມນີ້:

ລ/ດ	ລາຍການ
1.	<p>NCR SELFSEV 28 AUTOMATED TELLER MACHINE, FULL WHEATHERIZED CASH DISPENSER - LOBBY MODEL Country of origin: Hungarry, India or China</p> <p>Main System</p> <p>NCR SelfServ 28 Automated Teller Machine Full Wheatherized Cash Dispenser - Lobby Model Safe Door Cover - Front Access USB architecture Self-Healing technology Bunch Cash Presenter/S2 Dispenser Vacumm Pick Technology Dispenser (For higher reliability against humidity) Standard 4 Currency Cassettes and LatchFast PurgeBin Motorised Card Reader Track 1/2/3 with SmartCard support EMV Compliance Support Multiple Card Standards: - Magnetic Stripe: ISO 7810, 7811-1/2/3/4/5, ISO 7812, ISO 7813, ISO 4909</p> <p>- IC Cards - CP8 and ISO 7816-1/2/3, ISO 7813 - Card Return on Power Failure/System Error Card Capture Bin Media Entry & Exit Indicators 15" Color LCD TouchScreen Ruggedized tactile 16 key keyboard Display Privacy Filter Intel Core i5 GHz Processor 8 GB RAM 1TB HardDisk Storage DVD Drive 10/100 Ethernet Interface Multimedia Onboard Audio with Speaker Graphic Thermal Receipt Printer Electronic Journal Optional Thermal Journal Printer Operator Interface control board</p> <p>Security</p> <p>High Secure Enhanced Encryption Pinpad- Pin Guard Included TripleDES Hardware Encryptor - PCI Compliance</p>

	<p>Comply with ANSI x 9.24 and ISO 9564-1 definitions of a “Physically Secure Device” Capable of erasing cryptographic keys when penetrated by an attacker. Capable of executing the Triple DES algorithm internally Comply with ISO standard for physical built - ISO 9564-1 - ISO 13491-1 - ISO 13491-2</p>
	<p>Card Reader Flaudulent Device Inhibitor (FDI) included (prevent attachment of skimming devices)</p> <p>Card Reader ECD feature (jitter) for anti-card-skimming (work on both card insert & eject)</p> <p>Beep before or after card eject Primary Combination Lock with Keylock Secondary Combination Lock Industrial Standard CEN 1 Safe Security Solidcore Software included with the following features Sign all authorized running software and process in side ATM Protecting good code from being tampered-with or hijacked Stop any kind of Virus, Worm, Trojan, Spyware Stop any kind of Zero-day attachs, Buffer overflows, code injection, application exploits</p> <p>Weatherised Enclosure, supporting (Extreme Environment): Raining weather Hot weather (as high as +50 degree) Cold weather (as low as -20 degree) Windy weather</p> <p>OS & Applications Development Environment Microsoft Windows 10 platform ATM Application supports existing ATM Functions License & Support ISO 8583 standard Compatible with Aprta XFS Platform Compatible with Aprta Advance Application Compatible with APTRA Promote for Bank & Third Party Advertisement Campaign</p> <p>Compatible with APTRA Relate for targeted and personalized banking</p>
	<p>NCR Skimming Protection Solution (SPS) Features Anti-skimming protection - Multiple random noise generators - New design to focus the jamming at the potential point of compromise"</p> <p>Self-protection - Integrated diagnostics and state-of-health monitoring</p> <p>Configurability - Choose either the recommended settings or configure to address a unique environment or future threats</p> <p>Scalability - Industry standard bus architecture allows for fast response to new threats and reduced development and certification cycles - FPGA architecture – hardware can be repurposed via downloadable software</p>
	<p>ATM Pinhole Surveillance Camera/USB interface Image sensor: 1/4" Progressive Scan Color CCD Effective Pixels: 659 (H) x 494 (V) Scanning system: Progressive Scan Video output: VGA(640X480), CiF(352X288), SiF(320X240), QSiF, (176X144,), QCiF(160x120) Min. Illumination: 1 Lux</p>

	Exposure: Auto / Manual(Shutter Speed & AGC Control) White Balance: Auto / Fixed / Indoor / Initial / Outdoor Picture: Brightness / Contrast / Gamma / Saturation Lens/Standard: 2.97mm lens/2.5mm Pinholes Interface Type: USB
	ATM CashSlot Camera/USB interface Camera Software Function (stand-alone) Capturing images with transaction info Images can be captures witch different transaction steps Number of images captured configurable Images resolution configurable Images viewer and finder (base on transaction) on ATM
❖	ລາຍລະອຽດໜ້າວຽກ
	- ບໍລິສັດຈະເປັນຜູ້ຮັບຜິດຊອບກວດເຊັກ, ຕິດຕັ້ງລະບົບ ແລະ ທົດລອງຕັ້ງໃໝ່ໃຫ້ເຂົ້າກັບລະບົບຂອງ ທຄຕລ ເຊັ່ນ: ກວດລະຫັດ, ກວດຍອດເງິນ, ກວດ Bank information, Fund transfer. - ບໍລິສັດຈະຮັບຜິດຊອບຕິດຕັ້ງກ້ອງຖ່າຍຮູບໃສ່ຕໍ່ ATM ໜ່ວຍໃໝ່ ຈຳນວນ 10 ໜ່ວຍ.

📌 **ເງື່ອນໄຂຂອງບໍລິສັດ ຫ້າງຮ້ານຕົວແທນຈຳໜ່າຍອຸປະກອນໄອທີ ມີຄວາມຕ້ອງການຍື່ນຊອງປະມຸນຕ້ອງປະກອບດັ່ງນີ້:**

❖ **ເອກະສານຊອງທີ 1 (ບໍ່ປິດຊອງ).**

1. ປະກອບເອກະສານໃນນາມນິຕິບຸກຄົນ ທີ່ດຳເນີນທຸລະກິດຈຳໜ່າຍເຄື່ອງດັ່ງກ່າວ, ຕ້ອງມີວິຊາການສະເພາະດ້ານ ແລະ ດຳເນີນທຸລະກິດ ຢ່າງໜ້ອຍ 03 ປີຂຶ້ນໄປ (ສຳເນົາໃບທະບຽນວິສາຫະກິດ, ໃບຢັ້ງຢືນການເສຍອາກອນປີ 2020, ໃບອະນຸຍາດດຳເນີນທຸລະກິດປີ 2021 ແລະ ໃບຢັ້ງຢືນການເປັນຕົວແທນຈຳໜ່າຍ).
2. ລະບຸຍີ່ຫໍ້, ປະເພດສິນຄ້າ ຫຼື ມີເອກະສານທີ່ກ່ຽວຂ້ອງ, ລະບຸໄລຍະເວລາໃນການຮັບປະກັນ, ຜົນງານຜ່ານມາທີ່ເຄີຍສະໜອງຕໍ່ ATM ໃຫ້ພາກສ່ວນອື່ນ.
3. ກຳນົດຍື່ນຊອງມາດຕະຖານເຕັກນິກ ຈະປິດຮັບໃນ **ວັນສຸກ, ວັນທີ 08/10/2021 ເວລາ 11:00 ໂມງ** ທີ່ພະແນກຫ້ອງການບໍລິຫານ-ການເງິນ ສຳນັກງານໃຫຍ່, ປ່ອງບໍລິການຂາເຂົ້າ-ຂາອອກ ຊັ້ນ 4 ອາຄານ C.

❖ **ເອກະສານຊອງທີ 2 (ປິດຊອງ).**

1. ໃບສະເໜີລາຄາໃຫ້ລະບຸລາຄາຫົວໜ່ວຍແຕ່ລະລາຍການ ແລະ ລວມມູນຄ່າອາກອນທັງໝົດເປັນສະກຸນເງິນກີບໃຫ້ຄົບຖ້ວນ.
2. **ໃນວັນສຸກ ວັນທີ 15/10/2021 ເວລາ 09:30 ໂມງ** ແມ່ນມີເປີດຊອງປະມຸນ ແຈ້ງໃຫ້ບໍລິສັດ, ຮ້ານຕົວແທນຈຳໜ່າຍຈະຕ້ອງຖືຊອງລາຄາມາດ້ວຍຕົນເອງ ຫຼື ສົ່ງຜູ້ຕາງໜ້າເຂົ້າຮ່ວມທີ່ຫ້ອງປະຊຸມຊັ້ນ 3 ອາຄານ C.
3. ບໍລິສັດຜູ້ສະໜອງຕ້ອງກຳນົດລຸ້ນ, ພ້ອມທັງລະບຸເງື່ອນໄຂຕ່າງໆ ມາໃຫ້ຄົບຖ້ວນ ແລະ ໃຫ້ກົງກັບຄວາມຕ້ອງການໃນຕາຕະລາງຂ້າງເທິງນັ້ນ.
4. ຜູ້ສະໜອງຕ້ອງວາງເງິນຄ້າປະກັນການປະມຸນຕໍ່າສຸດ 2% ຂອງມູນຄ່າທັງໝົດ ໂດຍໜັງສືຄ້າປະກັນທີ່ອອກໂດຍທະນາຄານພາຍໃນ (**ວັນໝົດອາຍຸໜັງສືຄ້າປະກັນຕ້ອງເຖິງ ວັນທີ 15/10/2021**) ຫຼື ແຊັກທີ່ວິຊາແລ້ວ (ທຄຕລ ບໍ່ຮັບເງິນສົດ), ພາຍຫຼັງປະກາດຜົນ ທຄຕລ ຈະສົ່ງໜັງສືຄ້າປະກັນດັ່ງກ່າວຄືນ.

ໝາຍເຫດ: ທຄຕລ ຂໍສະຫງວນສິດ ປະຕິເສດຜູ້ສະໜອງທີ່ປະກອບເອກະສານ ບໍ່ຄົບຖ້ວນ ຫຼື ບໍ່ຖືກຕ້ອງຕາມການກຳນົດຂ້າງເທິງ.

❖ **ເງື່ອນໄຂຂອງສັນຍາລະຫວ່າງ ທຄຕລ ແລະ ຜູ້ສະໜອງທີ່ຊະນະການປະມຸນ:**

- ຖ້າຜູ້ຊະນະການປະມຸນປະຕິເສດການເຊັນສັນຍາ ຫຼື ບໍ່ຍື່ນເງິນຄ້າປະກັນການປະຕິບັດສັນຍາ ຜູ້ຊະນະການປະມຸນຕ້ອງໄດ້ຈ່າຍຄ່າເສຍຫາຍໃຫ້ແກ່ ທຄຕລ ໃນອັດຕາ 2% ຂອງມູນຄ່າລວມທີ່ສະເໜີປະມຸນ.
- ຜູ້ທີ່ຊະນະການປະມຸນຈະໄດ້ເຊັນສັນຍາກັບ ທຄຕລ ແລະ ຄ່າທຳນຽມໃນການຈົດທະບຽນສັນຍາ ແມ່ນມອບໃຫ້ເປັນຄວາມຮັບຜິດຊອບຂອງຜູ້ສະໜອງ.

ການຊໍາລະແບ່ງຈ່າຍເປັນ 02 ງວດ ລຸ່ມນີ້:

- **ງວດທີ 1:** ຊໍາລະ 90% ຂອງມູນຄ່າ ພາຍໃນ 25 ວັນລັດຖະການ ພາຍຫຼັງໄດ້ຮັບເຄື່ອງ ແລະ ຕິດຕັ້ງສໍາເລັດ.
- **ງວດທີ 2:** ຊໍາລະ 10% ຂອງມູນຄ່າ ພາຍຫຼັງຄົບກຳນົດການຄ້າປະກັນຄຸນະພາບສິນຄ້າ 06 ເດືອນ, ແຕ່ການຮັບປະກັນຄຸນນະພາບສິນຄ້າ ຕ້ອງແມ່ນຕາມໄລຍະເວລາຂອງສິນຄ້າດັ່ງກ່າວ ທີ່ຜູ້ສະໜອງແຈ້ງເບື້ອງຕົ້ນ, ຖ້າຫາກຜູ້ສະໜອງເມີນເສີຍ ບໍ່ເຂົ້າມາສ້ອມແປງບໍາລຸງຮັກສາ ແມ່ນ ທຄຕລ ຈະປັບໄໝ 20% ຂອງມູນຄ່າ.

ດັ່ງນັ້ນ, ຈຶ່ງອອກແຈ້ງເຊັນມາຍັງທ່ານທີ່ມີຄວາມສົນໃຈເຂົ້າຮ່ວມຢືນຊອງປະມຸນໃນຄັ້ງນີ້.

**ທະນາຄານ ການຄ້າຕ່າງປະເທດລາວມະຫາຊຸນ
ຜູ້ອໍານວຍການ**



ຄຳພຸດ ສິດທິລາດ

ສອບຖາມລາຍລະອຽດເພີ່ມເຕີມ:

(ສໍາລັບສອບຖາມສະເປັກ) ທ່ານ ສັນຍາໄຊ ພັນຍາວິງ ເບີໂທ: +856 20 22 224 446

- E-mail: bidcommittee@bcel.com.la

(ຕົວຢ່າງ) ລາຍລະອຽດເອກະສານການປະມຸນ (ກະລຸນາຕື່ມຂໍ້ມູນ ແລະ ເຊັນຢັ້ງຢືນ)

- ອີງຕາມໃບແຈ້ງປະມຸນ ສະບັບເລກທີ/ທຄຕລ, ລົງວັນທີ

ລ/ດ	ຜູ້ສະໜອງ	ເງື່ອນໄຂ								ໝາຍເຫດ	
		ໃບທະບຽນວິສາຫະກິດ	ໃບຢັ້ງຢືນການເສຍອາກອນ 2020	ໃບອະນຸຍາດດຳເນີນທຸລະກິດ 2021	ໄລຍະເວລາໃນການດຳເນີນທຸລະກິດ	ຜົນງານຜ່ານມາ (ເຄີຍສະໜອງໃຫ້ພາກສ່ວນໃດແນ່)	ປະເພດ / ວັດສະດຸ / ຍີ່ຫໍ້ສິນຄ້າ	ປະເທດຜະລິດ	ການຮັບປະກັນສິນຄ້າ		ກຳນົດສິ່ງ (ວັນ)
1	ບ/ສ.....	(xxx/ 02.01.2015)	(xxx/ 02.01.2015)	(xxx/ 02.01.2015) ປີ	(ໃຫ້ລະບຸ)	(ໃຫ້ລະບຸລະອຽດ)	ປະເທດ..... ປີ	

ໝາຍເຫດ: ຂໍ້ມູນທີ່ແຈ້ງຂ້າງເທິງນີ້ ເປັນຄວາມຈິງທຸກປະການ, ຖ້າມີຂໍ້ມູນຜິດພາດ ຂ້າພະແຈ້ງຂໍຮັບຜິດຊອບເອງທຸກປະການ.

ນະຄອນຫຼວງວຽງຈັນ, ວັນທີ

ຜູ້ອໍານວຍການບໍລິສັດ

ຜູ້ປະສານງານບໍລິສັດ:

ຊື່:

ໂທ:

